

3038-6000 ✓ ACTIVE

MEAS | MEAS 3038

TE Internal #: 3038-6000

DC Response Embedded Accelerometers, Uniaxial Sensing, MEAS  
3038

[View on TE.com >](#)



Sensors > Vibration Sensors > Model 3038 SMT DC Accelerometers



Accelerometer Type: **MEMS DC**

Vibration Sensor Product Type: **DC Response Embedded Accelerometers**

Number of Sensing Axes: **Uniaxial**

Full Scale Output Voltage: **±.1 VDC**

Mounting Type: **Solder**

[All Model 3038 SMT DC Accelerometers \(6\)](#)

## Features

### Product Type Features

Accelerometer Type	MEMS DC
Vibration Sensor Product Type	DC Response Embedded Accelerometers

### Electrical Characteristics

Zero Acceleration Output	±25 mV
Excitation Voltage	2 – 10 VDC
Full Scale Output Voltage	±.1 VDC

### Body Features

Product Weight	.6 g
Primary Product Material	Ceramic
Number of Sensing Axes	Uniaxial

### Mechanical Attachment

Mounting Type	Solder
---------------	--------

### Usage Conditions

Operating Temperature Range	-40 – 125 °C [-40 – 257 °F]
-----------------------------	-----------------------------

### Other

Nonlinearity	±1 %FSO
--------------	---------

Acceleration Range ( $\pm$ )	6000 g
Sensitivity	.05 mV/g

## Product Compliance

For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # CAT-EAC0003  
Model 3038 SMT DC Accelerometers

## Also in the Series | MEAS 3038



Vibration Sensors(8)

## Customers Also Bought

TE Part #1734260-4  
1.25 WTB HDR SMT, 4 POSTE Part #321884  
TERM, STRAT, SOLIS, HT, 22-16, #4, T&RTE Part #1658012-1  
MSB0.80RC-ASY040FL,-10,-TYTE Part #826629-5  
AMPMODU II HEADERTE Part #9-2176380-1  
RQ 0805 10K 0.1% 10PPM 5K RLTE Part #11029075-00  
Piezoelectric Vibration Sensor, PolymerTE Part #927836-2  
SPT REC 6.3 Contact SWS SnTE Part #6-331693-2  
BNC BHD JACK PTFE

## Documents

### CAD Files

[3D PDF](#)

3D

### Customer View Model

[ENG\\_CVM\\_CVM\\_3038-6000\\_E.2d\\_dxf.zip](#)

English

### Customer View Model

[ENG\\_CVM\\_CVM\\_3038-6000\\_E.3d\\_igs.zip](#)

English

### Customer View Model

[ENG\\_CVM\\_CVM\\_3038-6000\\_E.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[3038\\_Accelerometer](#)

English

3038-6000

DC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 3038

